

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	382/321.ccls. and 707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:10
L2	2	382/321.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:17
L3	3	"382"/\$.ccls. and 707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:17
L4	4	track\$4 near10 chang\$4 near10 document\$4 and scan\$4 and 707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:20
L5	2	histor\$3 near10 document\$4 near10 network\$4 and 707/203. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:20
L6	34	histor\$3 near10 document\$4 near10 network\$4 and @ad<"20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:26
L7	6	"5940830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:28
L8	261	(document\$4) with (track\$4 near4 chang\$4 or histor\$4) with (repositor\$4 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:29
L9	52	(document\$4) with (track\$4 near4 chang\$4 or histor\$4) with (repositor\$4 server\$1) and scanner\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:29

L10	26	(document\$4) with (track\$4 near4 chang\$4 or histor\$4) with (repositor\$4 server\$1) and scanner\$1 and @ad<"20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 09:51
L11	62	358/403,474.ccls. and "707"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:09
L12	0	358/403,474.ccls. and "707"/203. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:52
L13	22	"5754308"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:00
L14	4	"5754308" and (histor\$4 or track\$3 near5 chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:01
L15	1098	scan\$4 and version\$4 near10 (manage manages managing management) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:08
L16	116	scan\$4 and version\$4 near10 (manage manages managing management) same document\$1 and @ad<"20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:08
L17	57	scan\$4 and version\$4 near10 (manage manages managing management) same document\$1 and @ad<"20011031" and repositor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:43
L18	19	transparent adj document adj archiving	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:55
L19	1536	document adj management adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:55

L20	564	document adj management adj system.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:55
L21	564	(document adj management adj system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:56
L22	124	(document adj management adj system).ti. and ricoh.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:17
L23	5	(document adj management adj system).ti. and ricoh.as. and @ay="1996"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:56
L24	542	document near3 archiv\$4 and @ad<"20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:21
L25	0	l24 and (notif near10 (user\$1 recipient\$1 requester\$1) near10 document\$1 near10 (available availabilit\$4 ready))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:23
L26	5	l24 and (notif\$6 near10 (user\$1 recipient\$1 requester\$1) near10 document\$1 near10 (available availabilit\$4 ready))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:23
L27	99	358/403,474,1.13,1.15.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:09
L28	0	382/321,312,317.ccls. and 707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:10
L29	7	382/321,312,317.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:10